


LISSÉ Single-lever shower mixer for wall mounting - Brushed Light Gold

LISSÉ








33 300 845 Product version from 4/1/2024




- 3/8" shower outlet
- slide-on rosettes Ø 60 mm
- 1/2" connection
- gauge 150 mm - 15 mm
- WRAS

Intrinsic protection against back flow.

Intrinsic protection against back flow.

	Brushed Light Gold	33 300 845-27
	Chrome	33 300 845-00
	Brushed Platinum	33 300 845-06
	Dark Chrome	33 300 845-19
	Matte Black	33 300 845-33
	Brushed Chrome	33 300 845-93
	Brushed Dark Platinum	33 300 845-99

Required miscellaneous




Single holder for 16 mm AluPEX pipes -

•for 16 mm AluPEX pipes

29 021 970 90

Required miscellaneous




Single holder for 12 mm and 15 mm copper pipes -

•for 12 mm and 15 mm copper pipes

29 020 970 90

Required miscellaneous



Single holder for 15 mm PEX pipes -

•for 15 mm PEX pipes

29 022 970 90

We reserve the right to change designs, product range and technical specifications without prior notice.
 More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com


1/4 7/11/2025

33 300 845 Product version from 4/1/2024

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Ü-Zeichen



LISSE Single-lever shower mixer for wall mounting - Brushed Light Gold

LISSE

33 300 845 Product version from 4/1/2024

Certificates and sustainability

LGA_9

