




xTOOL Concealed thermostat without volume control 3/4" - Champagne (22kt Gold)

IMO


36 503 985	Product version from 9/1/2022		
	<ul style="list-style-type: none"> cover plate 120 x 120 mm temperature control handle with safety limit stop at 38°C thermostat cartridge WRAS 	<div> <div></div> <div>Champagne (22kt Gold)</div> </div>	36 503 985-47
		<div> <div></div> <div>Chrome</div> </div>	36 503 985-00
		<div> <div></div> <div>Brushed Platinum</div> </div>	36 503 985-06
		<div> <div></div> <div>Platinum</div> </div>	36 503 985-08
		<div> <div></div> <div>Dark Chrome</div> </div>	36 503 985-19
		<div> <div></div> <div>Brushed Light Gold</div> </div>	36 503 985-27
		<div> <div></div> <div>Brushed Durabrass (23kt Gold)</div> </div>	36 503 985-28
		<div> <div></div> <div>Matte Black</div> </div>	36 503 985-33
		<div> <div></div> <div>Brushed Champagne (22kt Gold)</div> </div>	36 503 985-46
		<div> <div></div> <div>Brushed Chrome</div> </div>	36 503 985-93
		<div> <div></div> <div>Brushed Dark Platinum</div> </div>	36 503 985-99

Required miscellaneous

	xTOOL Concealed thermostat module without volume control - <ul style="list-style-type: none"> max. recess depth mm min. recess depth mm 	35 503 970 90
---	--	---------------



Flow rate chart



Codes & Standards

DIN 4109	EN 1111	ISO 3822	Scottish Water Byelaws
UK Water Supply Regulations	Ü-Zeichen		



xTOOL Concealed thermostat without volume control 3/4" - Champagne (22kt Gold)

IMO

36 503 985 Product version from 9/1/2022


Certificates

WRAS_2011	DVGW_DW-6512DN0	LGA_29
-----------	-----------------	--------

xTOOL Concealed thermostat without volume control 3/4" - Champagne (22kt Gold)

IMO

36 503 985 Product version from 9/1/2022



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 15 02 063 00 90	cartridge	1	2
2	90 11 01 196 00 90	base	1	2
3	90 11 02 533 00-47	cover	1	30
4	09 31 11 044 90	pin	1	2
5	90 14 10 049 00 90	seal	1	2
6	90 21 02 112 00-47	sleeve	1	30
7	90 17 33 025 00-47	handle	1	30
8	12 178 970 90	Extension 46 mm -	1	2