

## META Wall-mounted single-lever basin mixer without pop-up waste - Chrome

META

36 860 660 Product version from 7/1/2023



- 190mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for spout Ø 55mm
- rosette for mixer Ø 78mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

|  |                               |               |
|--|-------------------------------|---------------|
|  | Chrome                        | 36 860 660-00 |
|  | Brushed Platinum              | 36 860 660-06 |
|  | Dark Chrome                   | 36 860 660-19 |
|  | Light Gold                    | 36 860 660-26 |
|  | Brushed Light Gold            | 36 860 660-27 |
|  | Matte Black                   | 36 860 660-33 |
|  | Brushed Bronze                | 36 860 660-42 |
|  | Brushed Champagne (22kt Gold) | 36 860 660-46 |
|  | Champagne (22kt Gold)         | 36 860 660-47 |
|  | Brushed Chrome                | 36 860 660-93 |
|  | Brushed Dark Platinum         | 36 860 660-99 |

### Required miscellaneous



- Concealed wall-mounted single-lever mixer -** 35 860 970 90
- max. recess depth 95 mm
  - min. recess depth 80 mm
  - mixer can be placed above, to the left or to the right of the spout.

### Required miscellaneous



- Concealed wall-mounted single-lever mixer mixer on right -** 35 816 970 90
- NOTE: Not suitable for concealed installation. Connection by means of angle valves, mounted with screws to back wall.

36 860 660 Product version from 7/1/2023

mm [inches]



Flow rate chart



Trajectory diagram



## Codes & Standards

DIN 4109

EN 817

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



## META Wall-mounted single-lever basin mixer without pop-up waste - Chrome

META

36 860 660 Product version from 7/1/2023

### Certificates and sustainability

|                     |           |        |
|---------------------|-----------|--------|
| DVGW_DW-<br>6512DN0 | WRAS_2107 | LGA_29 |
|---------------------|-----------|--------|



## Spare parts list

| No. | Item Number        | Name      | Quantity used | Delivery time |
|-----|--------------------|-----------|---------------|---------------|
| 4   | 90 28 22 323 00-00 | spout     | 1.00          | 10            |
| 5   | 90 20 66 007 00-00 | handle    | 1.00          | 10            |
| 1   | 09 24 03 072 10 90 | nipple    | 1.00          | 2             |
| 8   | 90 15 05 064 01 90 | cartridge | 1.00          | 2             |
| 6   | 09 11 02 288-00    | cover     | 1.00          | 10            |
| 2   | 90 24 03 280 00 90 | nipple    | 1.00          | 2             |
| 3   | 09 31 11 112 90    | pin       | 1.00          | 60            |
| 7   | 90 27 62 011 00-00 | rosette   | 1.00          | 10            |
| 9   | 90 30 09 064 00 90 | key       | 1.00          | 2             |