

## TARA Bath mixer for wall mounting with hand shower set - Dark Chrome

TARA

25 133 882 Product version from 5/27/2021



- spout: circular, air-enriched flow
- max. flow 22 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- 240mm projection
- rotary diverter for bath/shower
- slide-on rosettes Ø 65 mm
- rosette for shower holder Ø 50mm
- 1/2" connection
- gauge 150 mm - 15 mm
- metal shower hose 1250mm with integrated anti-twist protection
- WRAS

**Intrinsic protection against back flow.**

**Stand pipes combination possible on request (special production).**

Intrinsic protection against back flow.

Stand pipes combination possible on request (special production).

	Dark Chrome	25 133 882-19
	Chrome	25 133 882-00
	Brushed Platinum	25 133 882-06
	Platinum	25 133 882-08
	Brushed Durabronze (23kt Gold)	25 133 882-28
	Matte Black	25 133 882-33
	Brushed Dark Brass	25 133 882-39
	Brushed Champagne (22kt Gold)	25 133 882-46
	Champagne (22kt Gold)	25 133 882-47
	Brushed Chrome	25 133 882-93
	Brushed Dark Platinum	25 133 882-99

### Required miscellaneous



**Single holder for 16 mm AluPEX pipes -**  
•for 16 mm AluPEX pipes 29 021 970 90

### Required miscellaneous




**Single holder for 15 mm PEX pipes -**  
•for 15 mm PEX pipes 29 022 970 90

### Required miscellaneous




**Single holder for 12 mm and 15 mm copper pipes -**  
•for 12 mm and 15 mm copper pipes 29 020 970 90

25 133 882    Product version from 5/27/2021



### Flow rate chart



## Codes & Standards

DIN 4109

ISO 3822

## Scottish Water Byelaws

UK Water Supply Regulations

## Ü-Zeichen



## TARA Bath mixer for wall mounting with hand shower set - Dark Chrome

---

TARA

25 133 882 Product version from 5/27/2021

### Certificates and sustainability

---

WRAS\_2210

LGA\_18

