













WATER TUBE Kneipp wall elbow with hose holder with individual rosettes -  
Brushed Light Gold

SERIES SPECIFIC

27 821 979	Product version from 3/6/2023		
	<ul style="list-style-type: none"> <li>• LAMINAR FLOW, max. flow rate 15 l/min (at 3 bar)</li> <li>• with volume control</li> <li>• rosette 60 x 60 mm</li> <li>• holder for Kneipp hose</li> <li>• 1/2" wall elbow</li> <li>• without hose</li> </ul> <p>Intrinsic protection against back flow.</p> <p>Product change as of 1.4.2023: max. flow 15 l/min</p>		Brushed Light Gold27 821 979-27
			Chrome27 821 979-00
			Brushed Platinum27 821 979-06
			Platinum27 821 979-08
			Dark Chrome27 821 979-19
			Brushed Durabronze (23kt Gold)27 821 979-28
			Matte Black27 821 979-33
			Brushed Champagne (22kt Gold)27 821 979-46
			Champagne (22kt Gold)27 821 979-47
			Brushed Chrome27 821 979-93
			Brushed Dark Platinum27 821 979-99


Recommended miscellaneous

	<div> <div>Concealed wall elbow -</div> <div> <ul style="list-style-type: none"> <li>•min. recess depth 90 mm</li> <li>•max. recess depth 163 mm</li> </ul> </div> </div>	35 085 970 90
--	---	---------------


# WATER TUBE Kneipp wall elbow with hose holder with individual rosettes - Brushed Light Gold

SERIES SPECIFIC

27 821 979 Product version from 3/6/2023  
mm [inches]



Flow rate chart



## Codes & Standards

EN 1717



## WATER TUBE Kneipp wall elbow with hose holder with individual rosettes - Brushed Light Gold

---

SERIES SPECIFIC

27 821 979 Product version from 3/6/2023

Certificates and sustainability


---

Belgaqua\_22\_280\_2

# WATER TUBE Kneipp wall elbow with hose holder with individual rosettes - Brushed Light Gold

SERIES SPECIFIC

27 821 979 Product version from 3/6/2023



## Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	15 08 17 20 726 90	holder	2.00	2
	11 09 14 10 119 90	seal	1.00	2
	4 09 11 03 135-27	connection	1.00	60
	16 09 31 11 148 90	pin	2.00	2
	6 90 31 11 112 00 90	pin	1.00	2
	8 09 24 03 151 90	nipple	1.00	2
	12 90 14 10 049 00 90	seal	1.00	2
	3 90 23 01 146 00 90	flow reducer	1.00	2
	7 09 14 10 081 90	seal	1.00	2
	10 09 27 97 021-27	rosette	1.00	60
	14 09 27 97 022-27	rosette	1.00	60
	13 05 30 31 025 00 90	fixing set	1.00	2
	9 09 31 11 040 90	pin	1.00	2
	5 90 23 01 045 00 90	back-flow preventer	1.00	2
	2 90 90 03 145 00 90	top	1.00	2
	1 09 20 97 021-27	handle	1.00	60
	17 09 17 20 023-27	holder	1.00	60