

28 015 979 Product version from 4/1/2024



- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- spray head Ø 100mm
- 1/2" connection
- WRAS


Intrinsic protection against back flow.

Fits: IMO, LULU, MADISON, MEM, TARA,
CL.1, LISSÉ, VAIA, META, CYO


| | | |
|---|-------------------------------------|---------------|
|  | Matte Black | 28 015 979-33 |
|  | Chrome | 28 015 979-00 |
|  | Brushed Platinum | 28 015 979-06 |
|  | Platinum | 28 015 979-08 |
|  | Dark Chrome | 28 015 979-19 |
|  | Light Gold | 28 015 979-26 |
|  | Brushed Light Gold | 28 015 979-27 |
|  | Brushed Durabronze (23kt Gold) | 28 015 979-28 |
|  | Brushed Bronze | 28 015 979-42 |
|  | Brushed Champagne (22kt Gold) | 28 015 979-46 |
|  | Champagne (22kt Gold) | 28 015 979-47 |
|  | Brushed Chrome | 28 015 979-93 |
|  | Brushed Dark Platinum | 28 015 979-99 |

28 015 979 Product version from 4/1/2024

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

EN 1112

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



Hand shower - Matte Black

IMO

28 015 979 Product version from 4/1/2024

Certificates


DVGW_DW-
6517DN0

WRAS_2009

LGA_29

28 015 979 Product version from 4/1/2024

Parts for other finishes can be found here: [Chrome](#)



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|-----------------|-------|---------------|---------------|
| 1 | 09 23 01 039 90 | sieve | 1 | 2 |