

VAIA Wall elbow - Brushed Durabrass (23kt Gold)

VAIA

28 450 809 Product version from 3/13/2017 to 7/6/2018



- 3/8" shower outlet
- rosette Ø 60 mm
- 1/2" connection
- WRAS

Intrinsic protection against back flow.

	Brushed Durabrass (23kt Gold)	28 450 809-28
	Chrome	28 450 809-00
	Brushed Platinum	28 450 809-06
	Platinum	28 450 809-08
	Dark Chrome	28 450 809-19
	Brushed Bronze	28 450 809-42
	Brushed Champagne (22kt Gold)	28 450 809-46
	Champagne (22kt Gold)	28 450 809-47
	Brushed Dark Platinum	28 450 809-99

Recommended miscellaneous

Concealed wall elbow - 35 085 970 90




- max. recess depth 163 mm
- min. recess depth 90 mm

VAIA Wall elbow - Brushed Durabron (23kt Gold)


VAIA

28 450 809 Product version from 3/13/2017 to 7/6/2018

mm [inches]



Flow rate chart



Codes & Standards

EN 1717

Scottish Water
Byelaws

UK Water Supply
Regulations




VAIA Wall elbow - Brushed Durabrass (23kt Gold)

VAIA

28 450 809 Product version from 3/13/2017 to 7/6/2018

Certificates and sustainability

Belgaqua_22_280_2 WRAS_240702



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
3	90 23 01 040 00 90	back-flow preventer	2.00	2
1	90 27 80 021 00-28	rosette	1.00	20
2	09 16 01 014 90	ring	1.00	2
4	09 11 03 123-28	connection	1.00	20
5	90 21 02 069 00-28	cover	1.00	20