

Wall elbow - Light Gold

SERIES SPECIFIC

28 450 980



- 3/8" shower outlet
  - rosette 60 x 60 mm
  - 1/2" connection
  - WRAS

Intrinsic protection against back flow.

	Light Gold	28 450 980-26
	Chrome	28 450 980-00
	Brushed Platinum	28 450 980-06
	Platinum	28 450 980-08
	Durabrass (23kt Gold)	28 450 980-09
	Dark Chrome	28 450 980-19
	Brushed Light Gold	28 450 980-27
	Brushed Durabrass (23kt Gold)	28 450 980-28
	Matte Black	28 450 980-33
	Brushed Dark Brass	28 450 980-39
	Brushed Bronze	28 450 980-42
	Brushed Champagne (22kt Gold)	28 450 980-46
	Champagne (22kt Gold)	28 450 980-47
	Brushed Chrome	28 450 980-93
	Brushed Dark Platinum	28 450 980-99

Recommended miscellaneous



- Concealed wall elbow -**

35 085 970 90


  - min. recess depth 90 mm
  - max. recess depth 163 mm

28 450 980

mm [inches]



Flow rate chart



Codes & Standards

EN 1717	Scottish Water Byelaws	UK Water Supply Regulations
---------	---------------------------	--------------------------------



## Wall elbow - Light Gold

SERIES SPECIFIC

28 450 980

Certificates and sustainability

Belgaqua\_22\_280\_2 WRAS\_2310

28 450 980

