

LISSE Single-lever shower mixer for wall mounting - Matte Black

LISSE

33 300 845 Product version from 7/17/2018



- 3/8" shower outlet
 - slide-on rosettes Ø 60 mm
 - 1/2" connection
 - gauge 150 mm - 15 mm
 - WRAS
- Intrinsic protection against back flow.**

Intrinsic protection against back flow.

	Matte Black	33 300 845-33
	Chrome	33 300 845-00
	Brushed Platinum	33 300 845-06
	Dark Chrome	33 300 845-19
	Brushed Light Gold	33 300 845-27
	Brushed Chrome	33 300 845-93
	Brushed Dark Platinum	33 300 845-99

Required miscellaneous



- Single holder for 16 mm AluPEX pipes -** 29 021 970 90
- for 16 mm AluPEX pipes

Required miscellaneous



- Single holder for 12 mm and 15 mm copper pipes -** 29 020 970 90
- for 12 mm and 15 mm copper pipes


Required miscellaneous



- Single holder for 15 mm PEX pipes -** 29 022 970 90
- for 15 mm PEX pipes

33 300 845 Product version from 7/17/2018

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



LISSE Single-lever shower mixer for wall mounting - Matte Black

LISSE

33 300 845 Product version from 7/17/2018

Certificates and sustainability

LGA_9

WRAS_2207

