



## xTOOL Concealed thermostat module with 1 valve -

35 511 970 90



- red brass, lead-free
- 2x back flow preventer
- 2x female thread 3/4" connections
- 1x female thread 3/4" outlet for additional valves
- 1x female thread 3/4" outlet, right/left alternatively
- 2x dust cover
- 2x anti-water packing
- soundproofing
- gauge 120 mm
- suitable for xGRID (when using installation track + 12 mm recess depth)
- WRAS 2011026

### Recommended miscellaneous

**Extension 28 mm -**

12 177 970 90



### Recommended miscellaneous

**Extension 46 mm -**

12 178 970 90



### Required miscellaneous

**Leak protection 3/4" -**

12 012 970 90

- This article is needed 2x.



### Required miscellaneous

**Drybox Concealed thermostat -**

XS-09 0731

- Overflow is part of the scope of delivery.






## xTOOL Concealed thermostat module with 1 valve -

35 511 970 90

mm [inches]  
1:10



Art Nr.	Serie	min	max
36xxx361-FF	Madison	85 [3 3/8"]	110 [4 3/8"]
36xxx371-FF	Madison	85 [3 3/8"]	110 [4 3/8"]
36xxx710-FF	LULLU	85 [3 3/8"]	110 [4 3/8"]
36xxx809-FF	VAIA	85 [3 3/8"]	110 [4 3/8"]
36xxx819-FF	VAIA	85 [3 3/8"]	110 [4 3/8"]
36xxx882-FF	Tara	95 [3 3/4"]	160 [6 1/4"]
36xxx892-FF	Tara	95 [3 3/4"]	160 [6 1/4"]
36xxx811-FF	CYO	95 [3 3/4"]	160 [6 1/4"]
36xxx812-FF	CYO	95 [3 3/4"]	160 [6 1/4"]
36xxx740-FF	Meta/CL.1/ CYO	95 [3 3/4"]	160 [6 1/4"]
36xxx960-FF	Symetrics	95 [3 3/4"]	160 [6 1/4"]
36xxx985-FF	Symetrics	95 [3 3/4"]	160 [6 1/4"]
36xxx705-FF	CL.1	115 [4 1/2"]	155 [6 1/8"]
36xxx715-FF	CL.1	115 [4 1/2"]	155 [6 1/8"]
36xxx782-FF	MEM	115 [4 1/2"]	155 [6 1/8"]

### Codes & Standards

EN 1111

EN 1717

Scottish Water  
Byelaws

UK Water Supply  
Regulations

XP P 41-280

### Certificates

ACS\_21 ACC LY

Belgaqua\_21-031-2 DVGW\_DW-  
6512DNO

WRAS\_2011




# xTOOL Concealed thermostat module with 1 valve -

35 511 970 90

Product version up to 11/25/2021

**Product version from 1/1/2022**





## xTOOL Concealed thermostat module with 1 valve -

---

35 511 970 90

### Spare parts list

Product version up to 11/25/2021

### Product version from 1/1/2022

No.	Item Number	Name	Quantity used	Delivery time
	90 23 01 091 00 90	set	29	2