














WATER FALL Cascade spout with individual jets for wall mounting - Brushed Durabrass (23kt Gold)

13 425 979	Product version from 10/1/2023		
	<ul style="list-style-type: none"> • 22mm projection • PEARLSTREAM • plate 240 mm x 60 mm • connection 1/2", for shortening • plug-link mounting • Max. flow rate 9.5 l/min (at 3 bar) 		<div> <div>Brushed Durabrass (23kt Gold)</div> <div>13 425 979-28</div> </div>
			<div> <div>Chrome</div> <div>13 425 979-00</div> </div>
			<div> <div>Brushed Platinum</div> <div>13 425 979-06</div> </div>
			<div> <div>Platinum</div> <div>13 425 979-08</div> </div>
			<div> <div>Dark Chrome</div> <div>13 425 979-19</div> </div>
			<div> <div>Light Gold</div> <div>13 425 979-26</div> </div>
			<div> <div>Brushed Light Gold</div> <div>13 425 979-27</div> </div>
			<div> <div>Matte Black</div> <div>13 425 979-33</div> </div>
			<div> <div>Brushed Bronze</div> <div>13 425 979-42</div> </div>
			<div> <div>Brushed Champagne (22kt Gold)</div> <div>13 425 979-46</div> </div>
			<div> <div>Champagne (22kt Gold)</div> <div>13 425 979-47</div> </div>
			<div> <div>Brushed Chrome</div> <div>13 425 979-93</div> </div>
			<div> <div>Brushed Dark Platinum</div> <div>13 425 979-99</div> </div>

Recommended miscellaneous

	<div> <div>Concealed wall elbow -</div> <div> <ul style="list-style-type: none"> • max. recess depth mm • min. recess depth mm </div> </div>	35 085 970 90
--	--	---------------

Recommended miscellaneous


	<div> <div>Concealed wall elbow -</div> <div> <ul style="list-style-type: none"> • max. recess depth mm • min. recess depth mm </div> </div>	35 085 970 90
--	--	---------------

**WATER FALL Cascade spout with individual jets for wall mounting - Brushed
Durabron (23kt Gold)**


13 425 979 Product version from 10/1/2023
mm [inches]



Flow rate chart



Trajectory diagram



Codes & Standards

DIN 4109

ISO 3822

Ü-Zeichen



WATER FALL Cascade spout with individual jets for wall mounting - Brushed Durabronz (23kt Gold)


13 425 979 Product version from 10/1/2023

Certificates

LGA_19

**WATER FALL Cascade spout with individual jets for wall mounting - Brushed
Durabronz (23kt Gold)**

13 425 979 Product version from 10/1/2023



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	04 30 31 024 01 90	fixing set	1	2
2	09 14 05 009 90	seal	1	2
3	09 17 97 053 90	holder	1	2
4	90 24 03 199 00 90	connection	1	2
5	90 31 20 087 00-28	plug	1	20
6	09 31 11 144 90	pin	2	2
7	09 17 01 185 20-28	spout	1	20
8	90 29 03 071 00 90	insert	1	2