



LULU Bath spout for wall mounting - Brushed Platinum

13 801 710 Product version from 3/31/2009



- 200mm projection
- circular normal flow
- hole diameter 37 mm
- 1/2" connection
- plug-link mounting
- max. flow 23.5 l/min at 3 bar flow pressure
- WRAS



Brushed Platinum

13 801 710-06



Chrome

13 801 710-00

Recommended miscellaneous




- Concealed wall elbow -**
- max. recess depth mm
 - min. recess depth mm

35 085 970 90


LULU Bath spout for wall mounting - Brushed Platinum

13 801 710 Product version from 3/31/2009

mm [inches]



Flow rate chart



Codes & Standards

| | | | |
|---------------------------|--------------------------------|-----------|----------|
| ASME A112.18.1 | cUPC | DIN 4109 | ISO 3822 |
| Scottish Water Byelaws | UK Water Supply Regulations | Ü-Zeichen | |



LULU Bath spout for wall mounting - Brushed Platinum

13 801 710 Product version from 3/31/2009

Certificates


LGA_9

IAPMO_4976

WRAS_2305

LULU Bath spout for wall mounting - Brushed Platinum

13 801 710 Product version from 3/31/2009



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|------------|---------------|---------------|
| 1 | 90 24 03 108 00 90 | nipple set | 1 | 2 |
| 2 | 90 31 11 004 00 90 | pin | 1 | 2 |
| 3 | 09 11 71 090 10-06 | spout | 1 | 10 |
| 4 | 90 23 01 118 00-06 | aerator | 1 | 10 |