

MEM Bath shower set for bath rim or tile edge installation - Brushed Platinum

MEM

27 532 782    Product version from 3/10/2014



- 220mm projection
- spout: rectangular normal flow
- max. flow 27.3 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- height of mixer 300 mm
- height up to aerator 170 mm
- hole diameter valve 32 mm
- hole diameter spout 32 mm
- hole diameter for complete hand shower set 32 mm
- rosette for spout 60 x 60mm
- rosette for complete hand shower set 60 x 60mm
- rosette for deck valve 60 x 60mm
- metal shower hose 1750mm with integrated anti-twist protection
- WRAS

Intrinsic protection against back flow.

|   |                               |               |
|---|-------------------------------|---------------|
|  | Brushed Platinum              | 27 532 782-06 |
|  | Chrome                        | 27 532 782-00 |
|  | Platinum                      | 27 532 782-08 |
|  | Dark Chrome                   | 27 532 782-19 |
|  | Brushed Durabrass (23kt Gold) | 27 532 782-28 |
|  | Brushed Champagne (22kt Gold) | 27 532 782-46 |
|  | Champagne (22kt Gold)         | 27 532 782-47 |
|  | Brushed Dark Platinum         | 27 532 782-99 |

Recommended miscellaneous



Perfecto installation kit - 12 614 970 90


Recommended miscellaneous




Decorative caps for Perfecto - Brushed Platinum 12 801 970-06

• 1 pair

27 532 782 Product version from 3/10/2014



**Flow rate chart**



**Codes & Standards**

|                |                        |                             |           |
|----------------|------------------------|-----------------------------|-----------|
| ASME A112.18.1 | cUPC                   | DIN 4109                    | EN 1717   |
| ISO 3822       | Scottish Water Byelaws | UK Water Supply Regulations | Ü-Zeichen |




MEM Bath shower set for bath rim or tile edge installation - Brushed Platinum

MEM

27 532 782    Product version from 3/10/2014

Certificates and sustainability

|           |            |       |                   |
|-----------|------------|-------|-------------------|
| WRAS_2306 | IAPMO_4976 | LGA_9 | Belgaqua_21-026-2 |
|-----------|------------|-------|-------------------|



## Spare parts list

| No. | Item Number        | Name  | Quantity used | Delivery time |
|-----|--------------------|---|---------------|---------------|
| 4   | 20 000 782-06      | MEM Deck valve clockwise closing cold - Brushed Platinum                  | 1.00          | 10            |
| 5   | 27 702 980-06      | Hand shower set for bath rim or tile edge installation - Brushed Platinum | 1.00          | 10            |
| 1   | 20 000 783-06      | MEM Deck valve anti-clockwise closing hot - Brushed Platinum              | 1.00          | 10            |
| 3   | 12 502 970 90      | High pressure hose 1/2" x 1/2" x 400 mm -                                 | 1.00          | 2             |
| 2   | 90 28 22 268 00-06 | 90282226800-06  | 1.00          | 10            |