

## Hand shower set for bath rim or tile edge installation - Dark Chrome

SERIES SPECIFIC

27 702 979 Product version from 5/15/2020



- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- with anti-scale system
- rosette Ø 50 mm
- hole diameter 32 mm
- metal shower hose 1750mm with integrated anti-twist protection
- WRAS

Two-piece design allows hose to later be changed without dismantling the fitting.

Intrinsic protection against back flow.

|   |                               |               |
|---|-------------------------------|---------------|
|    | Dark Chrome                   | 27 702 979-19 |
|    | Chrome                        | 27 702 979-00 |
|    | Brushed Platinum              | 27 702 979-06 |
|    | Platinum                      | 27 702 979-08 |
|    | Durabrass (23kt Gold)         | 27 702 979-09 |
|    | Brushed Light Gold            | 27 702 979-27 |
|    | Brushed Durabrass (23kt Gold) | 27 702 979-28 |
|    | Matte Black                   | 27 702 979-33 |
|    | Brushed Dark Brass            | 27 702 979-39 |
|   | Brushed Bronze                | 27 702 979-42 |
|  | Brushed Champagne (22kt Gold) | 27 702 979-46 |
|  | Champagne (22kt Gold)         | 27 702 979-47 |
|  | Brushed Chrome                | 27 702 979-93 |
|  | Brushed Dark Platinum         | 27 702 979-99 |

mm [inches]



Flow rate chart



Codes & Standards

|                |                        |                             |           |
|----------------|------------------------|-----------------------------|-----------|
| ASME A112.18.1 | cUPC                   | DIN 4109                    | EN 1717   |
| ISO 3822       | Scottish Water Byelaws | UK Water Supply Regulations | Ü-Zeichen |



Hand shower set for bath rim or tile edge installation - Dark Chrome

SERIES SPECIFIC

27 702 979 Product version from 5/15/2020

Certificates and sustainability

LGA\_29 IAPMO\_4976 Belgaqua\_21-383-2 WRAS\_2209

27 702 979 Product version from 5/15/2020

Parts for other  
finishes can be found  
here: [Chrome](#)

