















MADISON Metal hand shower with porcelain insert (white) FlowReduce - Chrome

MADISON

28 002 970



- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
 - spray head Ø 64mm
 - 1/2" connection
 - This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Intrinsic protection against back flow.


	Chrome	28 002 970-00 0010
	Chrome	28 002 970-00
	Gold (23.9kt)	28 002 970-01
	Brushed Platinum	28 002 970-06
	Brushed Platinum	28 002 970-06 0010
	Platinum	28 002 970-08
	Platinum	28 002 970-08 0010
	Durabrass (23kt Gold)	28 002 970-09
	Durabrass (23kt Gold)	28 002 970-09 0010
	Brushed Durabrass (23kt Gold)	28 002 970-28
	Brushed Durabrass (23kt Gold)	28 002 970-28 0010
	Brushed Chrome	28 002 970-93
	Brushed Chrome	28 002 970-93 0010
	Brushed Dark Platinum	28 002 970-99
	Brushed Dark Platinum	28 002 970-99 0010


MADISON Metal hand shower with porcelain insert (white) FlowReduce - Chrome

MADISON

28 002 970

mm [inches]




Codes & Standards			
ASME A112.18.1	cUPC	DIN 4109	EPA WaterSense
ISO 3822	Ü-Zeichen	WaterSense	

Certificates and sustainability		
IAPMO_11777	LGA_8	IAPMO_4976 (

MADISON Metal hand shower with porcelain insert (white) FlowReduce - Chrome

MADISON

28 002 970



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
3	09 24 04 059 20-00	nipple	1.00	10
6	11 167 820 60	handle	1.00	2
1	90 12 01 010 00 90	set	1.00	2
5	90 28 22 033 00-00	insert	1.00	10
2	09 14 10 069 90	seal	1.00	2
4	09 14 10 042 90	seal	1.00	2
7	09 23 01 166 90	flow reducer	1.00	2
8	09 23 01 039 90	sieve	1.00	2