













MADISON Wall elbow - Brushed Dark Platinum

28 450 370    Product version from 7/6/2018




- 1/2" shower outlet
  - rosette Ø 60 mm
  - 1/2" connection
  - WRAS

Intrinsic protection against back flow.


	Brushed Dark Platinum	28 450 370-99
	Chrome	28 450 370-00
	Chrome	28 450 370-00 0010
	Brushed Platinum	28 450 370-06
	Brushed Platinum	28 450 370-06 0010
	Platinum	28 450 370-08
	Platinum	28 450 370-08 0010
	Durabrass (23kt Gold)	28 450 370-09
	Durabrass (23kt Gold)	28 450 370-09 0010
	Brushed Durabrass (23kt Gold)	28 450 370-28
	Brushed Durabrass (23kt Gold)	28 450 370-28 0010
	Brushed Dark Platinum	28 450 370-99 0010

Recommended miscellaneous


	<b>Concealed wall elbow -</b> •max. recess depth mm •min. recess depth mm	35 085 970 90
---	---	---------------

**MADISON Wall elbow - Brushed Dark Platinum**

28 450 370 Product version from 7/6/2018



Flow rate chart



**Codes & Standards**

EN 1717

Scottish Water  
Byelaws

UK Water Supply  
Regulations



## MADISON Wall elbow - Brushed Dark Platinum

---

28 450 370 Product version from 7/6/2018


### Certificates

---

Belgaqua\_21-381-2 WRAS\_240502

# MADISON Wall elbow - Brushed Dark Platinum

28 450 370    Product version from 7/6/2018



## Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 27 37 003-99	rosette	1	20
2	90 14 10 026 00 90	seal	1	2
3	09 11 03 021-99	connection	1	20
4	90 23 01 141 00 90	back-flow preventer	1	2