

## LISSÉ Wall elbow - Brushed Chrome








LISSÉ

28 450 845



- 3/8" shower outlet
- rosette 60 x 78 mm
- 1/2" connection
- WRAS 2310091

Intrinsic protection against back flow.

	Brushed Chrome	28 450 845-93
	Chrome	28 450 845-00
	Brushed Platinum	28 450 845-06
	Dark Chrome	28 450 845-19
	Brushed Light Gold	28 450 845-27
	Matte Black	28 450 845-33
	Brushed Dark Platinum	28 450 845-99

### Recommended miscellaneous



#### Concealed wall elbow -

35 085 970 90

- min. recess depth 90 mm
- max. recess depth 163 mm



LISSE Wall elbow - Brushed Chrome

LISSE

28 450 845

mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1	cUPC	Scottish Water Byelaws	UK Water Supply Regulations
----------------	------	---------------------------	--------------------------------



## LISSE Wall elbow - Brushed Chrome

---

LISSE

28 450 845

### Certificates

---

IAPMO\_4976


WRAS\_2310

28 450 845

Product version from 3/9/2016 to 7/6/2018

Product version from 7/6/2018 to 3/2/2021

**Product version from 3/2/2021**





## LISSE Wall elbow - Brushed Chrome

LISSE

28 450 845

### Spare parts list

Product version from 3/9/2016 to 7/6/2018

Product version from 7/6/2018 to 3/2/2021

#### Product version from 3/2/2021

No.	Item Number	Name	Quantity used	Delivery time
	09 16 01 014 90	ring	13	2