





DORNBRACHT YARRE Shower head - Soft Black

28 504 832



- 180-210mm projection
- ball-joint pivotable through 30°
- normal flow
- with anti-scale system
- spray head Ø 100mm
- rosette Ø 55 mm
- 1/2" connection
- max. flow 7.6 l/min
- rosette Ø 55 mm
- WRAS 240202028

	Soft Black	28 504 832-69
	Chrome	28 504 832-00

Recommended miscellaneous

Concealed wall elbow - 35 085 970 90







DORNBRACHT YARRE Shower head - Soft Black

28 504 832

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109	ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations
----------	----------	------------------------	-----------------------------

Ü-Zeichen



## DORNBACHT YARRE Shower head - Soft Black

---

28 504 832

### Certificates

---

LGA\_28

WRAS\_240202




## DORNBACHT YARRE Shower head - Soft Black

---

28 504 832

**Product version from 1/1/2023**





## DORNBACHT YARRE Shower head - Soft Black

---

28 504 832

### Spare parts list

#### Product version from 1/1/2023

No.	Item Number	Name	Quantity used	Delivery time
	90 27 83 016 00-69	rosette	2	2