

Body spray without volume control - Brushed Chrome

IMO

28 528 782



- spray head Ø 55mm
- ball-joint pivotable through 25° (in any direction)
- HORIZONTAL RAIN, max. flow rate 7 l/min (at 3 bar)
- anti-scale system
- rosette 60 x 60 mm
- 1/2" connection

Fits: IMO, MEM, CL.1, CYO

| | | |
|--|--------------------------------|---------------|
|  | Brushed Chrome | 28 528 782-93 |
|  | Chrome | 28 528 782-00 |
|  | Brushed Platinum | 28 528 782-06 |
|  | Platinum | 28 528 782-08 |
|  | Dark Chrome | 28 528 782-19 |
|  | Brushed Light Gold | 28 528 782-27 |
|  | Brushed Durabronze (23kt Gold) | 28 528 782-28 |
|  | Matte Black | 28 528 782-33 |
|  | Brushed Champagne (22kt Gold) | 28 528 782-46 |
|  | Champagne (22kt Gold) | 28 528 782-47 |
|  | Brushed Dark Platinum | 28 528 782-99 |

Recommended miscellaneous



Concealed wall elbow -

35 085 970 90

- max. recess depth 163 mm
- min. recess depth 90 mm

Body spray without volume control - Brushed Chrome

IMO

28 528 782

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Ü-Zeichen



Body spray without volume control - Brushed Chrome


IMO

28 528 782

Certificates

LGA_38

Product version from 6/1/2024





Body spray without volume control - Brushed Chrome

IMO

28 528 782

Spare parts list

Product version from 6/1/2024

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|-----------------|------|---------------|---------------|
| | 09 14 10 098 90 | seal | 10 | 2 |