









MADISON Rain shower with wall fixing 200 mm - Brushed Durabrand (23kt Gold)

28 545 977

Product version from 12/5/2019



- 435mm projection
- rain shower Ø 200 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 8 l/min
- rosette Ø 55 mm
- 1/2" connection
- with anti-scale system

	Brushed Durabrand (23kt Gold)	28 545 977-28
	Chrome	28 545 977-00
	Brushed Platinum	28 545 977-06
	Platinum	28 545 977-08
	Durabrand (23kt Gold)	28 545 977-09
	Brushed Chrome	28 545 977-93
	Brushed Dark Platinum	28 545 977-99


Recommended miscellaneous

	<div> Concealed wall elbow - <ul style="list-style-type: none"> max. recess depth mm min. recess depth mm </div>	35 085 970 90
--	--	---------------



MADISON Rain shower with wall fixing 200 mm - Brushed Durabronz (23kt Gold)

28 545 977 Product version from 12/5/2019



Flow rate chart



Codes & Standards

DIN 4109	EN 1112	ISO 3822	Ü-Zeichen



MADISON Rain shower with wall fixing 200 mm - Brushed Durabronz (23kt Gold)

28 545 977 Product version from 12/5/2019

Certificates

DVGW_DW- LGA_38
6517DN0

MADISON Rain shower with wall fixing 200 mm - Brushed Durabronz (23kt Gold)

28 545 977
Product version from 12/5/2019



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 27 35 003-28	rosette	1	60
2	90 14 10 026 00 90	seal	1	2
3	09 11 03 017-28	connection	1	60
4	04 12 05 038 01-28	shower	1	20