


MADISON Rain shower with wall fixing 200 mm - Brushed Dark Brass

MADISON









28 545 977 Product version from 12/5/2019




- rain shower Ø 200 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 8 l/min
- with anti-scale system

Technical data:


- 435mm projection
- rosette Ø 55 mm
- 1/2" connection

| | | |
|---|-------------------------------|---------------|
|  | Brushed Dark Brass | 28 545 977-39 |
|  | Chrome | 28 545 977-00 |
|  | Brushed Platinum | 28 545 977-06 |
|  | Platinum | 28 545 977-08 |
|  | Durabrass (23kt Gold) | 28 545 977-09 |
|  | Brushed Durabrass (23kt Gold) | 28 545 977-28 |
|  | Brushed Chrome | 28 545 977-93 |
|  | Brushed Dark Platinum | 28 545 977-99 |

28 545 977 Product version from 12/5/2019



Flow rate chart



Codes & Standards

DIN 4109

EN 1112

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



MADISON Rain shower with wall fixing 200 mm - Brushed Dark Brass

MADISON

28 545 977 Product version from 12/5/2019

Certificates and sustainability

DVGW_DW-
6517DN0

LGA_38

WRAS_250102

28 545 977 Product version from 12/5/2019

Parts for other
finishes can be found
here: [Chrome](#)

