







IMO Single-lever shower mixer for wall mounting - Chrome

IMO

33 301 670    Product version from 3/9/2015 to 7/17/2018



- 3/8" shower outlet
  - slide-on rosettes Ø 60 mm
  - 1/2" connection
  - gauge 150 mm - 15 mm
- Intrinsic protection against back flow.


	Chrome	33 301 670-00
	Brushed Platinum	33 301 670-06
	Dark Chrome	33 301 670-19
	Brushed Light Gold	33 301 670-27
	Matte Black	33 301 670-33
	Brushed Chrome	33 301 670-93

## IMO Single-lever shower mixer for wall mounting - Chrome


IMO

33 301 670 Product version from 3/9/2015 to 7/17/2018

mm [inches]



### Flow rate chart



### Codes & Standards

DIN 4109

EN 1717

ISO 3822

Ü-Zeichen



## IMO Single-lever shower mixer for wall mounting - Chrome

---

IMO

33 301 670 Product version from 3/9/2015 to 7/17/2018

### Certificates and sustainability

---

Belgaqua\_21-025-2 LGA\_9

## IMO Single-lever shower mixer for wall mounting - Chrome

IMO

33 301 670 Product version from 3/9/2015 to 7/17/2018

Parts for other  
finishes can be found  
here: Brushed  
Platinum



### Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	10 09 14 10 008 90	seal	2.00	2
	11 09 23 10 048-00	nut	2.00	10
	6 04 11 04 030 00 90	connection	2.00	2
	8 09 14 10 119 90	seal	2.00	2
	15 09 24 03 115 20-00	nipple	1.00	10
	4 09 31 20 017 90	plug	1.00	2
	7 09 27 62 004-00	rosette	2.00	10
	1 09 20 67 004-00	handle	1.00	10
	2 09 24 04 107-00	nut	1.00	10
	5 90 15 05 064 00 90	cartridge	1.00	2
	12 09 18 40 059-00	sleeve	2.00	10
	3 90 31 11 030 00 90	pin	1.00	2
	13 90 23 01 141 00 90	back-flow preventer	1.00	2
	9 09 29 05 005 20 90	nipple	2.00	60
	14 90 14 10 032 00 90	seal	1.00	2
	16 90 21 02 069 00-00	cover	1.00	10