

META SQUARE Single-lever mixer - Durabrand (23kt Gold)

33 815 861
Product version from 2/1/2023



- 235mm projection
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 820 970 90
- air-enriched flow
- max. flow 8 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

	Durabrand (23kt Gold)	33 815 861-09
	Chrome	33 815 861-00
	Brushed Platinum	33 815 861-06
	Platinum	33 815 861-08
	Dark Chrome	33 815 861-19
	Brushed Durabrand (23kt Gold)	33 815 861-28
	Matte Black	33 815 861-33
	Brushed Champagne (22kt Gold)	33 815 861-46
	Champagne (22kt Gold)	33 815 861-47
	Brushed Chrome	33 815 861-93
	Brushed Dark Platinum	33 815 861-99

Recommended miscellaneous

	Swivel limitation set -	12 820 970 90
---	-------------------------	---------------

Recommended miscellaneous

	Strainer waste with control handle - Durabrand (23kt Gold)	10 712 970-09
---	--	---------------


Recommended miscellaneous

	Dispenser without rosette - Durabrand (23kt Gold)	82 424 970-09
---	---	---------------


**META SQUARE Single-lever mixer - Durabress (23kt Gold)**

33 815 861 Product version from 2/1/2023

mm [inches]



**Flow rate chart**



**Codes & Standards**

DIN 4109	ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations
----------	----------	---------------------------	--------------------------------

**Ü-Zeichen**



## META SQUARE Single-lever mixer - Durabross (23kt Gold)

---

33 815 861 Product version from 2/1/2023

### Certificates

---

LGA\_38

WRAS\_240102

META SQUARE Single-lever mixer - Durabross (23kt Gold)

33 815 861    Product version from 2/1/2023



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 28 22 284 00-09	spout	1	40
2	90 15 05 042 00 90	cartridge	1	2
3	09 24 04 266 90	nut	1	2
4	90 28 30 052 00-09	cover	1	40
5	90 20 66 033 00-09	handle	1	40
6	04 23 10 044 08 90	fixing set	1	2
7	04 30 04 101 00 90	hose	2	2