

SYNC Single-lever mixer Pull-down with spray function - Brushed Champagne (22kt Gold)

SYNC

33 870 895 Product version from 11/1/2024



- 240mm projection
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 821 970 90
- laminar and spray flow
- height of mixer 444 mm
- height up to laminar flow regulator 240 mm
- hole diameter 35 mm
- 1800 mm metal shower hose
- sprayface with anti-scaling system
- max. flow 10.4 l/min at 3 bar flow pressure
- lead-free
- Flow modes can be changed while the water is running
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

	Brushed Champagne (22kt Gold)	33 870 895-46
	Chrome	33 870 895-00
	Brushed Platinum	33 870 895-06
	Platinum	33 870 895-08
	Durabrass (23kt Gold)	33 870 895-09
	Dark Chrome	33 870 895-19
	Brushed Durabrass (23kt Gold)	33 870 895-28
	Matte Black	33 870 895-33
	Brushed Bronze	33 870 895-42
	Champagne (22kt Gold)	33 870 895-47
	Brushed Chrome	33 870 895-93
	Brushed Dark Platinum	33 870 895-99

Recommended miscellaneous

Swivel limitation set -	12 821 970 90
-------------------------	---------------

Recommended miscellaneous



Dispenser without rosette - Brushed Champagne (22kt Gold)	82 424 970-46
--	---------------

Recommended miscellaneous




Strainer waste with control handle 10 712 970-46
- Brushed Champagne (22kt Gold)


SYNC Single-lever mixer Pull-down with spray function - Brushed Champagne (22kt Gold)

SYNC

33 870 895 Product version from 11/1/2024



Flow rate chart



Codes & Standards

DIN 4109

Executive Order
no. 1007

ISO 3822

Ü-Zeichen



SYNC Single-lever mixer Pull-down with spray function - Brushed Champagne (22kt Gold)

SYNC

33 870 895 Product version from 11/1/2024

Certificates and sustainability

LGA_28

GDV_0400

SYNC Single-lever mixer Pull-down with spray function - Brushed Champagne (22kt Gold)

SYNC

33 870 895 Product version from 11/1/2024

