

Shower thermostat for wall installation - Brushed Champagne (22kt Gold)
 SERIES-VARIOUS

34 443 979
 Product version from 5/1/2022



- 3/8" shower outlet
  - slide-on rosettes Ø 70 mm
  - 1/2" connection
  - gauge 150 mm - 13 mm
  - with volume control
  - WRAS

Intrinsic protection against back flow.

	Brushed Champagne (22kt Gold)	34 443 979-46
	Chrome	34 443 979-00
	Brushed Platinum	34 443 979-06
	Platinum	34 443 979-08
	Dark Chrome	34 443 979-19
	Brushed Durabrass (23kt Gold)	34 443 979-28
	Matte Black	34 443 979-33
	Brushed Dark Brass	34 443 979-39
	Champagne (22kt Gold)	34 443 979-47
	Brushed Chrome	34 443 979-93
	Brushed Dark Platinum	34 443 979-99

34 443 979 Product version from 5/1/2022

mm [inches]



Flow rate chart



#### Codes & Standards

DIN 4109

EN 1717

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



## Shower thermostat for wall installation - Brushed Champagne (22kt Gold)

SERIES-VARIOUS

34 443 979 Product version from 5/1/2022

### Certificates and sustainability

Belgaqua\_22\_281\_2 LGA\_29


WRAS\_2204

### Shower thermostat for wall installation - Brushed Champagne (22kt Gold)

SERIES-VARIOUS

34 443 979 Product version from 5/1/2022

Parts for other finishes can be found here: [Chrome](#)



## Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
5	04 11 04 030 00 90	connection	2.00	2
2	90 15 02 070 00 90	cartridge	1.00	2
13	09 31 20 511-46	nipple	1.00	60
7	09 29 30 050 90	sieve	2.00	2
4	04 31 20 530 00 90	insert	1.00	2
10	90 90 03 236 00 90	top	1.00	2
1	90 17 33 015 00-46	handle	1.00	30
11	90 30 40 017 00 90	base	1.00	2
8	04 31 20 540 00 90	insert	1.00	2
9	09 24 77 008-00	nut	2.00	10
3	90 30 40 010 00 90	regulator	1.00	2
6	90 31 20 512 00-46	rosette	2.00	30
14	90 21 02 069 00-46	cover	1.00	30
12	90 14 10 010 00 90	seal	1.00	2