

Concealed single-lever mixer with integrated shower connection with shower set without hand shower - Matte White

36 013 660 Product version from 10/1/2023



- cover plate Ø 78 mm
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar
- WRAS

**This article does not include a hand shower!**

**Intrinsic protection against back flow.**

**Article cannot be extended, please check the depth of the installation location!**

This article does not include a hand shower!

Intrinsic protection against back flow.

Article cannot be extended, please check the depth of the installation location!

## Required miscellaneous



### Concealed wall mounting -


- max. recess depth 103 mm
- min. recess depth 78 mm

35 003 970 90

## Concealed single-lever mixer with integrated shower connection with shower set without hand shower - Matte White

SERIES SPECIFIC

36 013 660 Product version from 10/1/2023



### Codes & Standards

EN 1717

Scottish Water  
Byelaws

UK Water Supply  
Regulations


### Certificates and sustainability

Belgaqua\_21-025-2 WRAS\_2011

# Concealed single-lever mixer with integrated shower connection with shower set without hand shower - Matte White

SERIES SPECIFIC

36 013 660 Product version from 10/1/2023



## Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
9	36 045 660-10	Concealed single-lever mixer with cover plate with integrated shower connection - Matte White	1.00	-
Spare part can no longer be ordered, please order the replacement item				
5	90 28 22 597 00-10	holder	1.00	-
Spare part can no longer be ordered, please order the replacement item				
4	08 17 97 054-10	holder	2.00	60
6	28 322 970-10	Metal shower hose 1/2" x 3/8" x 1750 mm - Matte White	1.00	-
Spare part can no longer be ordered, please order the replacement item				
7	12 580 970-10	Slide unit - Matte White	1.00	-
Spare part can no longer be ordered, please order the replacement item				
3	04 31 11 113 00 90	pin	2.00	2
1	05 17 20 726 02 90	fixing set	1.00	2
2	09 31 11 049 90	pin	2.00	2
8	90 14 20 026 00 90	seal	1.00	2