



CL.1 Wall-mounted single-lever basin mixer without pop-up waste - Brushed Dark Platinum


CL.1

| | | | |
|---|---|---|---------------|
| 36 860 705 | Product version from 7/1/2023 | | |
|  | <ul style="list-style-type: none"> • 198mm projection • fixed spout • rectangular spray pattern with 40 individual jets • hole diameter spout 37 mm • hole diameter single-lever mixer 57 mm • rosette 80 x 80 mm • max. flow 4.5 l/min • lead-free • This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB | <div> <div></div> <div>Brushed Dark Platinum</div> </div> <div> <div></div> <div>Chrome</div> </div> <div> <div></div> <div>Brushed Platinum</div> </div> <div> <div></div> <div>Dark Chrome</div> </div> <div> <div></div> <div>Brushed Champagne (22kt Gold)</div> </div> <div> <div></div> <div>Champagne (22kt Gold)</div> </div> | 36 860 705-99 |
| | | | 36 860 705-00 |
| | | | 36 860 705-06 |
| | | | 36 860 705-19 |
| | | | 36 860 705-46 |
| | | | 36 860 705-47 |

Required miscellaneous

| | | |
|---|--|---------------|
|  | Concealed wall-mounted single-lever mixer - | 35 860 970 90 |
| | <ul style="list-style-type: none"> • max. recess depth 95 mm • min. recess depth 80 mm • mixer can be placed above, to the left or to the right of the spout. | |

Required miscellaneous

| | | |
|---|---|---------------|
|  | Concealed wall-mounted single-lever mixer mixer on right - | 35 816 970 90 |
| | <ul style="list-style-type: none"> • NOTE: Not suitable for concealed installation. Connection by means of angle valves, mounted with screws to back wall. | |

CL.1 Wall-mounted single-lever basin mixer without pop-up waste - Brushed Dark Platinum

CL.1

36 860 705 Product version from 7/1/2023
mm [inches]



Flow rate chart



Codes & Standards

| | | | |
|----------------|------|----------|--------|
| ASME A112.18.1 | cUPC | DIN 4109 | EN 817 |
|----------------|------|----------|--------|

| | | | |
|----------------|----------|--------|-------|
| EPA WaterSense | ISO 3822 | NSF372 | NSF61 |
|----------------|----------|--------|-------|

Ü-Zeichen

WaterSense





CL.1 Wall-mounted single-lever basin mixer without pop-up waste - Brushed
Dark Platinum

CL.1

36 860 705 Product version from 7/1/2023

Certificates and sustainability

| | | | | |
|--------------|---------------------|------------|--------|--------------|
| IAPMO_N-4976 | DVGW_DW- 6512DN0 | IAPMO_6397 | LGA_29 | IAPMO_4976 (|
| IAPMO_8834 | | | | |

CL.1 Wall-mounted single-lever basin mixer without pop-up waste - Brushed Dark Platinum

CL.1

36 860 705 Product version from 7/1/2023



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|---|---------------|---------------|
| 6 | 09 27 78 039-99 | rosette | 1.00 | 20 |
| 5 | 09 11 02 288-99 | cover | 1.00 | 20 |
| 1 | 13 800 705-99 | CL.1 Wall-mounted basin spout without pop-up waste - Brushed Dark Platinum | 1.00 | 80 |
| 2 | 09 20 70 050-99 | handle | 1.00 | 20 |
| 8 | 90 15 05 064 01 90 | cartridge | 1.00 | 2 |
| 4 | 90 31 20 087 00-99 | plug | 1.00 | 20 |
| 9 | 90 30 09 064 00 90 | key | 1.00 | 2 |
| 3 | 90 31 11 030 00 90 | pin | 1.00 | 2 |
| 7 | 90 14 10 049 00 90 | seal | 1.00 | 2 |