

RAINMOON Rain panel - Matte White

41 610 979



- exposed trim parts
- Rain panel with 2 different spray modes
- AQUACIRCLE RAIN: Circular rain curtain, max. flow rate 6.8 l/min (at 3 bar)
- TEMPEST RAIN: Natural rain, max. flow rate 5 l/min (at 3 bar)
- Matt white cover, RAL 9003
- Indirect mood lighting, warm white LED light strip 2700K
- Outer diameter 1240 mm, opening diameter 450 mm
- with anti-scale system
- Weight 22.5 kg
- Protection rating IP67
- Control elements not included among the items supplied

Rain panel cover for adaptation to ceiling colour available in all RAL colours, price and delivery time on request

Rain panel cover for adaptation to ceiling colour available in all RAL colours, price and delivery time on request

Required miscellaneous




RAINMOON Concealed ceiling installation box - 35 610 970 90


- Ceiling installation enclosure 1356 x 1356 x 290 mm
- concealed rough parts
- Opening diameter 1252 mm
- min. recess depth 290 mm

RAINMOON Rain panel - Matte White

41 610 979



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Ü-Zeichen



RAINMOON Rain panel - Matte White


41 610 979

Certificates

LGA_29

RAINMOON Rain panel - Matte White

41 610 979





RAINMOON Rain panel - Matte White

41 610 979

Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|------|---------------|---------------|
| | 90 10 01 183 00 90 | lamp | 61 | 2 |