

MEM xTOOL Thermostat module with 3 valves - Brushed Platinum

MEM

ST 060 110 9780



- cover plate 120 x 120 mm
 - rosette 60 x 60 mm
 - temperature control handle with safety limit stop at 38°C
 - thermostat cartridge
 - 3x head part with cut-to-length spindle and sleeve
- 36 503 985-FF can also be used as an alternative.**

	Brushed Platinum	ST 060 110 9780-06
	Chrome	ST 060 110 9780-00
	Platinum	ST 060 110 9780-08
	Dark Chrome	ST 060 110 9780-19
	Brushed Durabronze (23kt Gold)	ST 060 110 9780-28
	Brushed Champagne (22kt Gold)	ST 060 110 9780-46
	Champagne (22kt Gold)	ST 060 110 9780-47
	Brushed Chrome	ST 060 110 9780-93
	Brushed Dark Platinum	ST 060 110 9780-99

Individual components of this set

You need the following components for this set



1x 36 503 780-06



3x 36 607 782-06

ST 060 110 9780

Error: Subreport could not be shown.



- rosette 60 x 60 mm
- head part with cut-to-length spindle and sleeve
- WRAS 2011026, 2010066

	Brushed Platinum	36 607 782-0
	Chrome	36 607 782-0
	Platinum	36 607 782-0
	Dark Chrome	36 607 782-1
	Brushed Durabross (23kt Gold)	36 607 782-2
	Brushed Champagne (22kt Gold)	36 607 782-4
	Champagne (22kt Gold)	36 607 782-4
	Brushed Chrome	36 607 782-9
	Brushed Dark Platinum	36 607 782-9

ST 060 110 9780

6
—
0
—
8
—
9
—
8
—
6
—
7
—
3
—
9
—

Required miscellaneous



Wall valve 1/2" -
●max. recess depth 150 mm
●min. recess depth 105 mm

35 607 970 90

ST 060 110 9780

mm [inches]



Certificates

IAPMO_4976	DVGW_DW-6501DN0	WRAS_2010	LGA_29	LGA_29
DVGW_DW-6512DN0	WRAS_2011			

Codes & Standards


ASME A112.18.1	cUPC	DIN 4109	EN 1111
EN 200	ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations

Ü-Zeichen

ST 060 110 9780

Product version up to 10/14/2020

Product version from 10/14/2020





MEM xTOOL Thermostat module with 3 valves - Brushed Platinum

MEM

ST 060 110 9780

Spare parts list

Product version up to 10/14/2020

Product version from 10/14/2020

No.	Item Number	Name	Quantity used	Delivery time
	90 90 03 143 00 90	top	4	2