

MEM xTOOL Thermostat module with 3 valves - Brushed Champagne (22kt Gold)

MEM

ST 060 110 9780



- cover plate 120 x 120 mm
 - rosette 60 x 60 mm
 - temperature control handle with safety limit stop at 38°C
 - thermostat cartridge
 - 3x head part with cut-to-length spindle and sleeve
- 36 503 985-FF can also be used as an alternative.**

	Brushed Champagne (22kt Gold)	ST 060 110 9780-46
	Chrome	ST 060 110 9780-00
	Brushed Platinum	ST 060 110 9780-06
	Platinum	ST 060 110 9780-08
	Dark Chrome	ST 060 110 9780-19
	Brushed Durabrass (23kt Gold)	ST 060 110 9780-28
	Champagne (22kt Gold)	ST 060 110 9780-47
	Brushed Chrome	ST 060 110 9780-93
	Brushed Dark Platinum	ST 060 110 9780-99

Individual components of this set

You need the following components for this set

1x 36 503 780-46



3x 36 607 782-46



MEM xTOOL Thermostat module with 3 valves - Brushed Champagne (22kt Gold)

MEM

ST 060 110 9780
Error: Subreport could not be shown.



- rosette 60 x 60 mm
- head part with cut-to-length spindle and sleeve
- WRAS 2011026, 2010066

	Brushed Champagne (22kt Gold)	36 607 782-4
	Chrome	36 607 782-0
	Brushed Platinum	36 607 782-0
	Platinum	36 607 782-0
	Dark Chrome	36 607 782-1
	Brushed Durabass (23kt Gold)	36 607 782-2
	Champagne (22kt Gold)	36 607 782-4
	Brushed Chrome	36 607 782-9
	Brushed Dark Platinum	36 607 782-9



MEM xTOOL Thermostat module with 3 valves - Brushed Champagne (22kt Gold)

MEM

ST 060 110 9780

6
—
10
—
16
—
18
—
9
—
8
—
.7
—
13
—
19
—

Required miscellaneous



- Wall valve 1/2" -**
●max. recess depth 150 mm
●min. recess depth 105 mm

35 607 970 90

MEM xTOOL Thermostat module with 3 valves - Brushed Champagne (22kt Gold)

MEM

ST 060 110 9780
mm [inches]



Certificates

DVGW_DW-6501DN0	WRAS_2010	LGA_29	DVGW_DW-6512DN0	WRAS_2011
-----------------	-----------	--------	-----------------	-----------




MEM xTOOL Thermostat module with 3 valves - Brushed Champagne (22kt Gold)

MEM

ST 060 110 9780

Codes & Standards

DIN 4109	EN 1111	EN 200	ISO 3822
Scottish Water Byelaws	UK Water Supply Regulations	Ü-Zeichen	



Spare parts list

Product version from 10/14/2020