

VAIA Two-hole bridge mixer with rinsing spray set - Matte Black

VAIA

ST 110 202 7809



- 241mm projection
- pivotable spout 360°
- air-enriched flow and spray flow
- fabric braided hose 1500 mm
- automatic spout/shower diverter
- sprayface with anti-scaling system
- max. flow 7 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

	Matte Black	ST 110 202 7809-33
	Chrome	ST 110 202 7809-00
	Brushed Platinum	ST 110 202 7809-06
	Platinum	ST 110 202 7809-08
	Durabrand (23kt Gold)	ST 110 202 7809-09
	Dark Chrome	ST 110 202 7809-19
	Brushed Durabrand (23kt Gold)	ST 110 202 7809-28
	Brushed Champagne (22kt Gold)	ST 110 202 7809-46
	Champagne (22kt Gold)	ST 110 202 7809-47
	Brushed Chrome	ST 110 202 7809-93
	Brushed Dark Platinum	ST 110 202 7809-99

Individual components of this set

You need the following components for this set



1x 19 825 809-33



1x 27 731 809-33

# VAIA Two-hole bridge mixer with rinsing spray set - Matte Black

VAIA

ST 110 202 7809



- 241mm projection
- pivotable spout 360°
- air-enriched flow
- max. flow 7 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

	Matte Black	19 825 809-3
	Chrome	19 825 809-0
	Brushed Platinum	19 825 809-0
	Platinum	19 825 809-0
	Durabrand (23kt Gold)	19 825 809-0
	Dark Chrome	19 825 809-1
	Brushed Durabrand (23kt Gold)	19 825 809-2
	Brushed Champagne (22kt Gold)	19 825 809-4
	Champagne (22kt Gold)	19 825 809-4
	Brushed Chrome	19 825 809-9
	Brushed Dark Platinum	19 825 809-9

ST 110 202 7809

:3  
—  
0  
—  
6  
—  
8  
—  
9  
—  
9  
—  
8  
—  
6  
—  
7  
—  
3  
—  
9  
—

Recommended miscellaneous

**VAIA Dispenser with rosette -** 82 434 809-33  
**Matte Black**



The graph shows the relationship between Laminar velocity (Lamin) and pressure (bar) for a 1000 µm capillary. The x-axis represents pressure in bar, ranging from 0 to 5. The y-axis represents Laminar velocity, ranging from 0 to 10. The curve starts at (0,0) and increases, reaching a plateau of approximately 7.5 Lamin at 5 bar.

Pressure (bar)	Laminar velocity (Lamin)
0	0
1	3.5
2	5.2
3	6.2
4	6.8
5	7.5

4/14 6/16/2024



VAIA Two-hole bridge mixer with rinsing spray set - Matte Black

VAIA

ST 110 202 7809

Codes & Standards

DIN 4109


ISO 3822

Ü-Zeichen



**Product version from 7/1/2023**

Parts for other  
finishes can be found  
here: [Chrome](#)





VAIA Two-hole bridge mixer with rinsing spray set - Matte Black

VAIA

ST 110 202 7809

Spare parts list

Product version from 7/1/2023

No.	Item Number	Name	Quantity used	Delivery time
	90 28 22 396 00-33	spout	13	60



# VAIA Two-hole bridge mixer with rinsing spray set - Matte Black

VAIA

ST 110 202 7809



- with round rosette
- spray flow
- automatic spout/shower diverter
- height of mixer 202 mm
- hole diameter rinsing spray 32mm
- fabric braided hose 1500 mm
- sprayface with anti-scaling system
- lead-free

Can only be combined with 33810809, 33826809, 19815809, 19825809.

Intrinsic protection against back flow.

Residual water may emerge from the spray after closing.

Operating unit can be positioned freely.

	Matte Black	27 731 809-3
	Chrome	27 731 809-0
	Brushed Platinum	27 731 809-0
	Platinum	27 731 809-0
	Durabrand (23kt Gold)	27 731 809-0
	Dark Chrome	27 731 809-1
	Brushed Durabrand (23kt Gold)	27 731 809-2
	Brushed Champagne (22kt Gold)	27 731 809-4
	Champagne (22kt Gold)	27 731 809-4
	Brushed Chrome	27 731 809-9
	Brushed Dark Platinum	27 731 809-9




VAIA Two-hole bridge mixer with rinsing spray set - Matte Black

VAIA

ST 110 202 7809

:3  
—  
0  
—  
6  
—  
8  
—  
9  
—  
9  
—  
8  
—  
6  
—  
7  
—  
3  
—  
9  
—

mm [inches]



## Certificates

Belgaqua\_24-005-2

## Codes & Standards

EN 1717



## Spare parts list