

**WATER SHEET Cascade spout for wall mounting - Dark Chrome**














IMO

13 415 979



- 150mm projection
- CASCADE, max. flow rate 26.5 l/min (at 3 bar)
- cover plate 240 x 60 mm
- 1/2" connection
- plug-link mounting
- WRAS 1712702

Fits: IMO, LULU, MADISON, MEM, TARA, CL.1, LISSÉ, VAIA, META, CYO

|   |                                     |               |
|---|-------------------------------------|---------------|
|    | Dark Chrome                         | 13 415 979-19 |
|    | Chrome                              | 13 415 979-00 |
|    | Brushed Platinum                    | 13 415 979-06 |
|    | Platinum                            | 13 415 979-08 |
|    | Light Gold                          | 13 415 979-26 |
|    | Brushed Light Gold                  | 13 415 979-27 |
|    | Brushed Durabrass<br>(23kt Gold)    | 13 415 979-28 |
|    | Matte Black                         | 13 415 979-33 |
|    | Brushed Bronze                      | 13 415 979-42 |
|   | Brushed<br>Champagne (22kt<br>Gold) | 13 415 979-46 |
|  | Champagne (22kt<br>Gold)            | 13 415 979-47 |
|  | Brushed Chrome                      | 13 415 979-93 |
|  | Brushed Dark<br>Platinum            | 13 415 979-99 |

**Recommended miscellaneous**



**Concealed wall elbow -** 35 085 970 90  
 •max. recess depth 163 mm  
 •min. recess depth 90 mm


**Recommended miscellaneous**




**Concealed wall elbow -** 35 085 970 90  
 •max. recess depth 163 mm  
 •min. recess depth 90 mm

13 415 979

mm [inches]



Flow rate chart



Trajectory diagram



Certificates

WRAS\_2306001.

13 415 979

