

13 801 892



- 200mm projection
- circular normal flow
- rosette Ø 55 mm
- hole diameter 37 mm
- 1/2" connection
- max. flow 29 l/min at 3 bar flow pressure
- WRAS 1811020

| | | |
|--|-------------------------------------|---------------|
|  | Brushed Platinum | 13 801 892-06 |
|  | Chrome | 13 801 892-00 |
|  | Platinum | 13 801 892-08 |
|  | Dark Chrome | 13 801 892-19 |
|  | Brushed Durabrass (23kt Gold) | 13 801 892-28 |
|  | Matte Black | 13 801 892-33 |
|  | Brushed Champagne (22kt Gold) | 13 801 892-46 |
|  | Champagne (22kt Gold) | 13 801 892-47 |
|  | Brushed Chrome | 13 801 892-93 |
|  | Brushed Dark Platinum | 13 801 892-99 |


Recommended miscellaneous




- Concealed wall elbow -** 35 085 970 90
- max. recess depth 163 mm
 - min. recess depth 90 mm

13 801 892

mm [inches]



Flow rate chart



Certificates

LGA_18923. IAPMO_4976 (6). WRAS_1811020.

13 801 892



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|---------|---------------|---------------|
| 1 | 09 27 89 009-06 | rosette | 1 | 10 |
| 2 | 90 14 10 025 00 90 | seal | 2 | 2 |
| 3 | 04 28 22 198 20-06 | spout | 1 | 10 |
| 4 | 90 23 01 024 00-06 | aerator | 1 | 10 |