

LULU Shower set without hand shower - Chrome

LULU

26 413 710



- gauge 800 mm
- shower hose connector 3/8"
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar
- rosette 78 x 55 mm
- Pipe diameter 18 mm
- inherently safe from back flow
- WRAS

This article does not include a hand shower!



Chrome

26 413 710-00



Brushed Platinum

26 413 710-06

Recommended miscellaneous



Concealed wall elbow -
 • max. recess depth 163 mm
 • min. recess depth 90 mm

35 085 970 90

Required miscellaneous



Hand shower FlowReduce -
Chrome

28 016 979-00
0010

Required miscellaneous



Hand shower - Chrome

28 018 979-00

Required miscellaneous



Hand shower - Chrome

28 012 979-00

Recommended miscellaneous



LULU Wall elbow - Chrome

28 450 710-00

Required miscellaneous



Hand shower - Chrome

28 016 979-00

Required miscellaneous



Hand shower FlowReduce -
Chrome

28 012 979-00
0010

Required miscellaneous



Hand shower - Chrome

28 017 979-00

Required miscellaneous



Hand shower FlowReduce -
Chrome

28 018 979-00
0010

Required miscellaneous



SERIES-VARIOUS Hand shower
FlowReduce - Chrome

28 027 979-00
0010

Required miscellaneous



SERIES-VARIOUS Hand shower -
Chrome

28 029 979-00

Required miscellaneous



SERIES-VARIOUS Hand shower
FlowReduce - Chrome

28 029 979-00
0010

Required miscellaneous



SERIES-VARIOUS Hand shower
FlowReduce - Chrome


28 025 979-00
0010

LULU Shower set without hand shower - Chrome

LULU

26 413 710

mm [inches]




Codes & Standards

ASME A112.18.1	cUPC	Scottish Water Byelaws	UK Water Supply Regulations
XP P 41-280			

Certificates and sustainability

WRAS_2009	ACS_20 ACC LY	IAPMO_4976
-----------	---------------	------------



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
6	28 322 970-00	Metal shower hose 1/2" x 3/8" x 1750 mm - Chrome	1.00	2
4	05 28 22 590 01-00	bar	1.00	10
2	09 27 71 005-00	rosette	2.00	10
1	05 30 31 025 00 90	fixing set	2.00	2
5	12 580 970-00	Slide unit - Chrome	1.00	50
3	09 31 11 013 90	pin	2.00	2