

Hand shower set - Brushed Dark Brass



























SERIES SPECIFIC

27 805 625 Product version from 6/3/2020



- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- spray head Ø 100mm
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection
- shower holder rosette Ø 55mm
- WRAS

Intrinsic protection against back flow.

| | | |
|---|-------------------------------|--------------------|
|  | Brushed Dark Brass | 27 805 625-39 |
|  | Chrome | 27 805 625-00 |
|  | Chrome | 27 805 625-00 0010 |
|  | Brushed Platinum | 27 805 625-06 |
|  | Brushed Platinum | 27 805 625-06 0010 |
|  | Dark Chrome | 27 805 625-19 |
|  | Dark Chrome | 27 805 625-19 0010 |
|  | Light Gold | 27 805 625-26 0010 |
|  | Light Gold | 27 805 625-26 |
|  | Brushed Light Gold | 27 805 625-27 0010 |
|  | Brushed Light Gold | 27 805 625-27 |
|  | Brushed Durabrass (23kt Gold) | 27 805 625-28 |
|  | Brushed Durabrass (23kt Gold) | 27 805 625-28 0010 |
|  | Matte Black | 27 805 625-33 0010 |
|  | Matte Black | 27 805 625-33 |
|  | Brushed Dark Brass | 27 805 625-39 0010 |
|  | Brushed Bronze | 27 805 625-42 |
|  | Brushed Bronze | 27 805 625-42 0010 |
|  | Brushed Champagne (22kt Gold) | 27 805 625-46 |
|  | Brushed Champagne (22kt Gold) | 27 805 625-46 0010 |
|  | Champagne (22kt Gold) | 27 805 625-47 |
|  | Champagne (22kt Gold) | 27 805 625-47 0010 |
|  | Brushed Chrome | 27 805 625-93 |
|  | Brushed Chrome | 27 805 625-93 0010 |
|  | Brushed Dark Platinum | 27 805 625-99 0010 |
|  | Brushed Dark Platinum | 27 805 625-99 |

Recommended miscellaneous

| | | |
|---|-------------------------------|---------------|
|  | Concealed wall elbow - | 35 085 970 90 |
| | •min. recess depth 90 mm | |
| | •max. recess depth 163 mm | |

Recommended miscellaneous

| | | |
|---|--|---------------|
|  | Wall elbow - Brushed Dark Brass | 28 450 625-39 |
| | | |
| | | |

Hand shower set - Brushed Dark Brass

SERIES SPECIFIC

27 805 625 Product version from 6/3/2020

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen




Hand shower set - Brushed Dark Brass

SERIES SPECIFIC

27 805 625 Product version from 6/3/2020

Certificates and sustainability

LGA_29 WRAS_2304



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|-----------------------------------|---------------|---------------|
| 1 | 90 12 11 173 00-39 | shower | 1.00 | 30 |
| 2 | 90 30 02 072 00-39 | hose | 1.00 | 30 |
| 3 | 28 050 625-39 | Wall bracket - Brushed Dark Brass | 1.00 | 30 |