

**Wall elbow with integrated shower holder - Platinum**

TARA

28 490 660



- 3/8" shower outlet
- rosette Ø 60 mm
- 1/2" connection
- WRAS 1912049

Intrinsic protection against back flow.

Fits: TARA, VAIA, META

	Platinum	28 490 660-08
	Chrome	28 490 660-00
	Brushed Platinum	28 490 660-06
	Dark Chrome	28 490 660-19
	Light Gold	28 490 660-26
	Brushed Light Gold	28 490 660-27
	Brushed Durabronze (23kt Gold)	28 490 660-28
	Matte Black	28 490 660-33
	Brushed Bronze	28 490 660-42
	Brushed Champagne (22kt Gold)	28 490 660-46
	Champagne (22kt Gold)	28 490 660-47
	Cyprum	28 490 660-49
	Brushed Chrome	28 490 660-93
	Brushed Dark Platinum	28 490 660-99

**Recommended miscellaneous**



- Concealed wall elbow -**
- max. recess depth 163 mm
  - min. recess depth 90 mm

35 085 970 90

**Recommended miscellaneous**




- Concealed wall elbow -**
- max. recess depth 163 mm
  - min. recess depth 90 mm


35 085 970 90

28 490 660

mm [inches]



Flow rate chart



Codes & Standards

EN 1717

Scottish Water  
Byelaws

UK Water Supply  
Regulations



## Wall elbow with integrated shower holder - Platinum

---

TARA

28 490 660


### Certificates

---

Belgaqua\_21-024-2 WRAS\_1912

28 490 660

Product version from 10/1/2023





Wall elbow with integrated shower holder - Platinum

TARA

28 490 660

**Spare parts list**

**Product version from 10/1/2023**

No.	Item Number	Name	Quantity used	Delivery time
	90 24 03 280 00 90	nipple	14	2