


Wall elbow with integrated shower holder - Platinum

SERIES SPECIFIC

28 490 970 Product version from 6/1/2024




- 3/8" shower outlet
- rosette 60 x 60 mm
- 1/2" connection
- WRAS


Intrinsic protection against back flow.

	Platinum	28 490 970-08
	Chrome	28 490 970-00
	Brushed Platinum	28 490 970-06
	Dark Chrome	28 490 970-19
	Brushed Light Gold	28 490 970-27
	Brushed Durabrass (23kt Gold)	28 490 970-28
	Matte Black	28 490 970-33
	Brushed Champagne (22kt Gold)	28 490 970-46
	Champagne (22kt Gold)	28 490 970-47
	Brushed Chrome	28 490 970-93
	Brushed Dark Platinum	28 490 970-99

Recommended miscellaneous

	Concealed wall elbow - •max. recess depth 163 mm •min. recess depth 90 mm	35 085 970 90
-------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------	---------------

Recommended miscellaneous

	Concealed wall elbow - •max. recess depth 163 mm •min. recess depth 90 mm	35 085 970 90
-------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------	---------------

28 490 970 Product version from 6/1/2024

mm [inches]



Codes & Standards

EN 1717

Scottish Water
Byelaws

UK Water Supply
Regulations

Certificates and sustainability

Belgaqua_21-024-2 WRAS_250402



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
12	09 24 03 279-08	nipple	1.00	40
6	09 23 01 131 90	back-flow preventer	1.00	2
1	90 24 03 280 00 90	nipple	1.00	2
7	09 30 30 113 20 90	screw	1.00	2
10	09 11 03 124-08	connection	1.00	40
3	09 27 97 043-08	rosette	1.00	40
5	09 16 01 023 90	ring	1.00	2
11	09 14 10 213 90	seal	1.00	2
4	09 31 11 112 90	pin	1.00	60
8	09 14 10 001 90	seal	1.00	2
9	09 18 40 216 90	sleeve	1.00	2
2	09 30 30 037 90	screw	2.00	2
13	90 21 02 069 00-08	cover	1.00	40