















## Body spray without volume control FlowReduce - Dark Chrome

SERIES SPECIFIC

28 518 979



- spray head Ø 55mm
- ball-joint pivotable through 25° (in any direction)
- HORIZONTAL RAIN, max. flow rate 5 l/min (at 3 bar)
- with anti-scale system
- rosette Ø 55 mm
- 1/2" connection
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

|   |                                |               |
|---|--------------------------------|---------------|
|    | Dark Chrome                    | 28 518 979-19 |
|    | Chrome                         | 28 518 979-00 |
|    | Brushed Platinum               | 28 518 979-06 |
|    | Platinum                       | 28 518 979-08 |
|    | Durabronze (23kt Gold)         | 28 518 979-09 |
|    | Light Gold                     | 28 518 979-26 |
|    | Brushed Light Gold             | 28 518 979-27 |
|    | Brushed Durabronze (23kt Gold) | 28 518 979-28 |
|    | Matte Black                    | 28 518 979-33 |
|   | Brushed Bronze                 | 28 518 979-42 |
|  | Brushed Champagne (22kt Gold)  | 28 518 979-46 |
|  | Champagne (22kt Gold)          | 28 518 979-47 |
|  | Brushed Chrome                 | 28 518 979-93 |
|  | Brushed Dark Platinum          | 28 518 979-99 |

### Recommended miscellaneous

#### Concealed wall elbow -

35 085 970 90



- max. recess depth 163 mm
- min. recess depth 90 mm

28 518 979

mm [inches]



Flow rate chart



Trajectory diagram



## Codes & Standards

|                           |                                |           |          |
|---------------------------|--------------------------------|-----------|----------|
| ASME A112.18.1            | cUPC                           | DIN 4109  | ISO 3822 |
| Scottish Water<br>Byelaws | UK Water Supply<br>Regulations | Ü-Zeichen |          |



Body spray without volume control FlowReduce - Dark Chrome

SERIES SPECIFIC

28 518 979

Certificates and sustainability

|        |            |             |
|--------|------------|-------------|
| LGA_38 | IAPMO_4976 | WRAS_240602 |
|--------|------------|-------------|

28 518 979

