



32 800 680



- 235mm projection
- pivotable spout 360°
- air-enriched flow
- height of mixer 345 mm
- height up to aerator 319 mm
- individual rosette 55 x 55 mm
- hole diameter spout 35 mm
- single-lever mixer hole diameter 44 mm
- max. flow 8 l/min at 3 bar flow pressure
- lead-free
- WRAS 1909073
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Operating unit can be positioned freely.

Brushed Durabrass (23kt Gold)	32 800 680-28
Chrome	32 800 680-00
Brushed Platinum	32 800 680-06
Platinum	32 800 680-08
Dark Chrome	32 800 680-19
Brushed Champagne (22kt Gold)	32 800 680-46
Champagne (22kt Gold)	32 800 680-47
Brushed Dark Platinum	32 800 680-99

### Recommended miscellaneous

Strainer waste with control handle 10 711 970-28

- Brushed Durabrass (23kt Gold)




### Recommended miscellaneous

Dispenser with rosette - Brushed 82 439 970-28 Durabrass (23kt Gold)






#### 32 800 680



### Flow rate chart



## Codes & Standards

DIN 4109	EN 817	Executive Order no. 1007	ISO 3822
Scottish Water Byelaws	UK Water Supply Regulations	Ü-Zeichen	VA-Zeichen



LOT

32 800 680

Certificates

LGA\_18 WRAS\_1909

GDV\_0400

LGA\_18

ETA\_18




32 800 680

Product version from 5/31/2010 to 3/10/2021 Product version from 3/10/2021 to 5/10/2021 Product version from 5/10/2021

## **Product version from 6/1/2022**

Parts for other finishes can be found here: Chrome







32 800 680

# Spare parts list

Product version from 5/31/2010 to 3/10/2021

Product version from 3/10/2021 to 5/10/2021

Product version from 5/10/2021

## **Product version from 6/1/2022**

No.	Item Number	Name	Quantity used	Delivery time
	90 11 06 188 06-28	spout	22	20