

33 870 888



- 240mm projection
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 823 970 90
- laminar and spray flow
- 1800 mm metal shower hose
- sprayface with anti-scaling system
- max. flow 10.4 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

	Brushed Dark Platinum	33 870 888-99
	Chrome	33 870 888-00
	Brushed Platinum	33 870 888-06
	Platinum	33 870 888-08
	Durabronze (23kt Gold)	33 870 888-09
	Dark Chrome	33 870 888-19
	Brushed Durabronze (23kt Gold)	33 870 888-28
	Matte Black	33 870 888-33
	Brushed Champagne (22kt Gold)	33 870 888-46
	Champagne (22kt Gold)	33 870 888-47
	Brushed Chrome	33 870 888-93

**Recommended miscellaneous**

	<b>Swivel limitation set -</b>	12 823 970 90
---	--------------------------------	---------------


**Recommended miscellaneous**

	<b>Strainer waste with control handle - Brushed Dark Platinum</b>	10 710 970-99
---	---	---------------


**Recommended miscellaneous**

	<b>Dispenser with rosette - Brushed Dark Platinum</b>	82 444 970-99
---	---	---------------

33 870 888



Flow rate chart



Codes & Standards

DIN 4109

EN 1717

ISO 3822

Ü-Zeichen



TARA Single-lever mixer Pull-down with spray function - Brushed Dark Platinum

TARA

33 870 888


Certificates

LGA\_38

Belgaqua\_24-005-2

33 870 888

Product version from 2/1/2023





TARA Single-lever mixer Pull-down with spray function - Brushed Dark Platinum

TARA

33 870 888

**Spare parts list**

**Product version from 2/1/2023**

No.	Item Number	Name	Quantity used	Delivery time
	90 12 11 148 00-99	shower	20	30