






DORNBACHT LYV Single-lever mixer Pull-out with spray function - Brushed Nickel

33 960 110



- 230mm projection
- pivotable spout 120°
- air-enriched flow and spray flow
- fabric braided hose 1500 mm
- max. flow 7 l/min at 3 bar flow pressure

Intrinsic protection against back flow.


	Brushed Nickel	33 960 110-70
	Chrome	33 960 110-00
	Soft Black	33 960 110-69




DORNBRACHT LYV Single-lever mixer Pull-out with spray function - Brushed Nickel

33 960 110

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

EN 1717

EN 817

ISO 3822

Ü-Zeichen

XP P 41-280



DORNBACHT LYV Single-lever mixer Pull-out with spray function - Brushed Nickel

33 960 110

Certificates

Belgaqua_23-012-2 ACS_23 ACC NY AbP_10


DVGW_DW-
6506DN0



DORNBACHT LYV Single-lever mixer Pull-out with spray function - Brushed Nickel

33 960 110

Parts for other finishes can be found here: [Chrome](#)





DORNBACHT LYV Single-lever mixer Pull-out with spray function - Brushed Nickel

33 960 110

Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	90 20 81 001 00-70	handle	15	2