

MADISON

34 459 360



- shower with fixed riser projection 420mm
- rain shower Ø 200 mm
- rain shower with anti-scale system
- max. rainshower flow 14 l/min
- Function from: 8 I/min
- rotary diverter for fixed-riser shower/hand shower
- height of fittings up to rain shower (bottom edge) 985mm
- height of fittings up to top edge of elbow 1160mm
- two-part push-on rosette Ø 65 mm
- rosette for shower holder Ø 65mm
- rosette for wall mounting Ø 60mm
- gauge 150 mm 13 mm
- metal shower hose 1250mm with integrated antitwist protection
- 1/2" connection
- Pipe diameter 20 mm


This article does not include a hand shower!

Intrinsic protection against back flow.


NOTE:The handles must be ordered separately from the fittings!

Brushed Bronze	34 459 360-42
Chrome	34 459 360-00
Brushed Platinum	34 459 360-06
Platinum	34 459 360-08
Durabrass (23kt Gold)	34 459 360-09
Brushed Durabrass (23kt Gold)	34 459 360-28
	34 459 360-39
Brushed Bronze	34 459 360-42 0050
1	34 459 360-43
Brushed Dark Platinum	34 459 360-99





Flow rate chart



Codes & Standards

DIN 4109 ISO 3822 Ü-Zeichen



MADISON

34 459 360

Certificates


LGA_38





34 459 360

Parts for other finishes can be found here: Chrome





MADISON

34 459 360

Spare parts list