

RAINMOON Rain panel - Matte White

41 610 979



- exposed trim parts
 - Rain panel with 2 different spray modes
 - AQUACIRCLE RAIN: Circular rain curtain, max. flow rate 6.8 l/min (at 3 bar)
 - TEMPEST RAIN: Natural rain, max. flow rate 5 l/min (at 3 bar)
 - Matt white cover, RAL 9003
 - Indirect mood lighting, warm white LED light strip 2700K
 - Outer diameter 1240 mm, opening diameter 450 mm
 - with anti-scale system
 - Weight 22.5 kg
 - Protection rating IP67
 - Control elements not included among the items supplied
- Rain panel cover for adaptation to ceiling colour available in all RAL colours, price and delivery time on request**

Rain panel cover for adaptation to ceiling colour available in all RAL colours, price and delivery time on request

Required miscellaneous




RAINMOON Concealed ceiling installation box - 35 610 970 90


- Ceiling installation enclosure 1356 x 1356 x 290 mm
- concealed rough parts
- Opening diameter 1252 mm
- min. recess depth 290 mm

RAINMOON Rain panel - Matte White

41 610 979



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Ü-Zeichen



RAINMOON Rain panel - Matte White


41 610 979

Certificates

LGA_29

RAINMOON Rain panel - Matte White

41 610 979





RAINMOON Rain panel - Matte White

41 610 979

Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	90 10 01 183 00 90	lamp	61	2