

WATER FALL Cascade spout for wall-mounted installation - Dark Chrome

SERIES-VARIOUS

13 420 979



- CASCADE, flow rate max. 7 gpm (at 3 bar)
- Function from: gpm

Technical data:

- Cover plate 9-1/2" x 2-3/8"
- 4-3/4" Projection
- 1/2" connection
- Plug-in connection mounting

	Dark Chrome	13 420 979-19
	Chrome	13 420 979-00
	Brushed Platinum	13 420 979-06
	Platinum	13 420 979-08
	Light gold	13 420 979-26
	Brushed Light Gold	13 420 979-27
	Brushed Durabronze (23kt Gold)	13 420 979-28
	Matte Black	13 420 979-33
	Brushed Dark Brass	13 420 979-39
	Brushed Bronze	13 420 979-42
	Brushed Champagne (22kt Gold)	13 420 979-46
	Champagne (22kt Gold)	13 420 979-47
	Brushed Chrome	13 420 979-93

Required article

Rough-in adapter -

35 080 970-90  
0010



13 420 979

mm [inches]



**Flow rate chart**



**Trajectory length diagram**



## Codes & Standards

ASME A112.18.1

cUPC

DIN 4109

ISO 3822

## Ü-Zeichen



WATER FALL Cascade spout for wall-mounted installation - Dark Chrome

SERIES-VARIOUS

13 420 979

Certificates and sustainability

LGA\_18

IAPMO\_4976

13 420 979

