












Cascade tub spout for wall-mounted installation - Matte Black

SERIES SPECIFIC

13 430 740 Product version from 9/1/2025



- 7-7/8" Projection
- Cascade
- Plate 7-1/8" x 2-3/8"
- 1-5/8" hole diameter
- 1/2" connection
- Plug-in connection mounting
- Water flow rate limited to max. 7 gpm

| | | |
|---|-------------------------------|---------------|
|  | Matte Black | 13 430 740-33 |
|  | Chrome | 13 430 740-00 |
|  | Brushed Platinum | 13 430 740-06 |
|  | Platinum | 13 430 740-08 |
|  | Dark Chrome | 13 430 740-19 |
|  | Brushed Durabrass (23kt Gold) | 13 430 740-28 |
|  | Brushed Champagne (22kt Gold) | 13 430 740-46 |
|  | Champagne (22kt Gold) | 13 430 740-47 |
|  | Brushed Dark Platinum | 13 430 740-99 |

Required article

Rough-in adapter -

35 080 970-90
0010




13 430 740 Product version from 9/1/2025

mm [inches]



Flow rate chart



Trajectory length diagram



Codes & Standards

| | | | |
|---------------------------|--------------------------------|-----------|----------|
| ASME A112.18.1 | cUPC | DIN 4109 | ISO 3822 |
| Scottish Water Byelaws | UK Water Supply Regulations | Ü-Zeichen | |



Cascade tub spout for wall-mounted installation - Matte Black

SERIES SPECIFIC

13 430 740 Product version from 9/1/2025

Certificates and sustainability

| | | |
|------------|--------|-------------|
| IAPMO_4976 | LGA_19 | WRAS_240502 |
|------------|--------|-------------|



Spare parts list

| Number | Item Number | Designation | Number of units | Lead time |
|--------|--------------------|-------------|-----------------|-----------|
| 2 | 09 17 97 056 90 | holder | 1.00 | 2 |
| 6 | 90 29 03 059 00 90 | insert | 1.00 | 2 |
| 1 | 04 30 31 014 00 90 | fixing set | 1.00 | 2 |
| 3 | 90 24 05 008 00 90 | nipple set | 1.00 | 2 |
| 5 | 09 11 74 042-33 | spout | 1.00 | 60 |
| 4 | 09 31 11 144 90 | pin | 2.00 | 2 |