









CL.1 Tub spout for wall-mounted installation - Brushed Champagne (22kt Gold)

CL.1


13 801 705    Product version from 3/9/2015




- 8-1/8" Projection
- Rectangular aerator with 55 individual streams
- 1-1/2" hole diameter
- 1/2" connection
- Plug-in connection mounting
- Water flow rate limited to max. 6.5 gpm

|   |                               |               |
|---|-------------------------------|---------------|
|  | Brushed Champagne (22kt Gold) | 13 801 705-46 |
|  | Chrome                        | 13 801 705-00 |
|  | Brushed Platinum              | 13 801 705-06 |
|  | Dark Chrome                   | 13 801 705-19 |
|  | Champagne (22kt Gold)         | 13 801 705-47 |
|  | Brushed Dark Platinum         | 13 801 705-99 |

mm [inches]



Flow rate chart



### Codes & Standards

|                |      |          |          |
|----------------|------|----------|----------|
| ASME A112.18.1 | cUPC | DIN 4109 | ISO 3822 |
|----------------|------|----------|----------|

### Ü-Zeichen



## CL.1 Tub spout for wall-mounted installation - Brushed Champagne (22kt Gold)

---

CL.1

13 801 705 Product version from 3/9/2015

### Certificates and sustainability

---

IAPMO\_4976

LGA\_28

13 801 705 Product version from 3/9/2015

Parts for other  
finishes can be found  
here: [Chrome](#)



## Spare parts list

| Number | Item Number        | Designation | Number of units | Lead time |
|--------|--------------------|-------------|-----------------|-----------|
| 7      | 90 11 02 299 00 90 | aerator     | 1.00            | 2         |
| 3      | 09 14 10 119 90    | seal        | 1.00            | 2         |
| 5      | 09 14 10 132 90    | seal        | 2.00            | 2         |
| 2      | 09 24 03 180 90    | nipple      | 1.00            | 2         |
| 1      | 09 24 03 081 10 90 | extension   | 1.00            | 2         |
| 4      | 09 31 20 027 10-00 | plug        | 2.00            | 10        |
| 6      | 90 31 11 004 00 90 | pin         | 1.00            | 2         |