



TARA Tub spout for wall-mounted installation - Dark Chrome

13 801 892



- 7-7/8" Projection
- Round aerator
- Flange diameter 2-1/8"
- 1-1/2" hole diameter
- 1/2" connection
- Water flow rate limited to max. 7.7 gpm

	Dark Chrome	13 801 892-19
	Chrome	13 801 892-00
	Brushed Platinum	13 801 892-06
	Platinum	13 801 892-08
	Brushed Light Gold	13 801 892-27
	Brushed Durabrass (23kt Gold)	13 801 892-28
	Matte Black	13 801 892-33
	Brushed Bronze	13 801 892-42
	Brushed Champagne (22kt Gold)	13 801 892-46
	Champagne (22kt Gold)	13 801 892-47
	Brushed Chrome	13 801 892-93
	Brushed Dark Platinum	13 801 892-99

Required article

Rough-in adapter -

35 080 970-90
0010






TARA Tub spout for wall-mounted installation - Dark Chrome

13 801 892

mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1	ASME A112.18.1/CSA B125.1	cUPC	DIN 4109
ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations	Ü-Zeichen



TARA Tub spout for wall-mounted installation - Dark Chrome

13 801 892

Certificates

LGA_18	IAPMO_4976	WRAS_240602
--------	------------	-------------

TARA Tub spout for wall-mounted installation - Dark Chrome

13 801 892

