




- 4-7/8" Projection
  - Rigid spout
  - Round aerated stream
  - Total height 9-1/8"
  - Height to aerator/spout outlet 6-1/4"
  - 1-3/8" hole diameter
  - 1/2" connection
  - Flange diameter 2-3/8"
  - Water flow rate limited to max. 1.2 gpm
  - lead-free
  - This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- (ADA)

	Light gold	17 500 662-26 0010
	Chrome	17 500 662-00 0010
	Brushed Platinum	17 500 662-06 0010
	Brushed Light Gold	17 500 662-27 0010
	Matte Black	17 500 662-33 0010
	Brushed Dark Brass	17 500 662-39 0010
	Brushed Bronze	17 500 662-42 0010
	Brushed Champagne (22kt Gold)	17 500 662-46 0010
	Champagne (22kt Gold)	17 500 662-47 0010
	Brushed Chrome	17 500 662-93 0010
	Brushed Dark Platinum	17 500 662-99 0010

17 500 662    Product version from 5/1/2022

mm [inches]




Codes & Standards

ADA	California Energy Commission (CEC)	NSF372	NSF61
-----	------------------------------------	--------	-------

Certificates and sustainability

IAPMO_N-4	IAPMO_6
-----------	---------

Parts for other  
finishes can be found  
here: [Chrome](#)



## Spare parts list

Number	Item Number	Designation	Number of units	Lead time
3	90 27 66 020 00-26	rosette	1.00	20
2	90 20 66 024 10-26	handle	1.00	20
6	04 23 10 017 00 90	fixing set	1.00	60
5	09 28 10 079 90	ring	1.00	60
1	90 28 22 389 00-26	spout	1.00	20
7	04 30 04 102 00 90	Flexible supply line 3/8" -	1.00	2
4	09 14 05 015 90	seal	1.00	2