



LOT HOT & COLD WATER DISPENSER - Brushed Platinum

17 861 680    Product version from 5/28/2022



- 5-3/4" Projection
- Rigid, thermally insulated spout
- Laminar stream
- Total height 9-1/8"
- 8-3/8" height to aerator/spout outlet
- 1-3/8" hole diameter
- Provides filtered, hot water, 199°F max. temperature
- Provides filtered, cold water (not chilled)
- Water flow rate limited to max. 0.5 gpm
- control unit for wall assembly (5-3/8" x 6-1/4" x 2-3/8")
- electronic valve
- plug-in power supply, 100-230 V, 50-60 Hz, 18 W, incl. country-specific adaptor set
- lead-free
- One lever for hot and cold water
- Spout ring cannot be removed.
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

(ADA)








NOTE: Not compatible with Reverse Osmosis

Compatible with Insinkerator® hot water tank HWT300-F3000S. Tank and filter not supplied from Dornbracht. More information on tank and filter at [www.inksinkerator.com](http://www.inksinkerator.com).

The installation must be above a kitchen sink.


We recommend replacing the filter cartridge every six months. Please see the installation manual for more information.

Specification and technical data sheets can be found on [www.dornbracht.com/professional](http://www.dornbracht.com/professional)


|   |                               |               |
|---|-------------------------------|---------------|
|  | Brushed Platinum              | 17 861 680-06 |
|  | Chrome                        | 17 861 680-00 |
|  | Platinum                      | 17 861 680-08 |
|  | Dark Chrome                   | 17 861 680-19 |
|  | Brushed Durabrass (23kt Gold) | 17 861 680-28 |
|  | Brushed Champagne (22kt Gold) | 17 861 680-46 |
|  | Champagne (22kt Gold)         | 17 861 680-47 |
|  | Brushed Dark Platinum         | 17 861 680-99 |

**LOT HOT & COLD WATER DISPENSER - Brushed Platinum**

17 861 680 Product version from 5/28/2022



Flow rate chart



Codes & Standards

|                 |                |                           |                                    |
|-----------------|----------------|---------------------------|------------------------------------|
| ADA             | ASME A112.18.1 | ASME A112.18.1/CSA B125.1 | California Energy Commission (CEC) |
| cUPC            | DIN 4109       | ISO 3822                  | NSF/ANSI 372                       |
| NSF/ANSI/CAN 61 | NSF372         | NSF61                     | Ü-Zeichen                          |



LOT HOT & COLD WATER DISPENSER - Brushed Platinum

---

17 861 680    Product version from 5/28/2022

Certificates


---

|           |            |        |         |
|-----------|------------|--------|---------|
| IAPMO_N-4 | IAPMO_4976 | LGA_28 | IAPMO_6 |
|-----------|------------|--------|---------|

## LOT HOT & COLD WATER DISPENSER - Brushed Platinum

17 861 680 Product version from 5/28/2022

Parts for other  
finishes can be found  
here: [Chrome](#)



### Spare parts list

| Number | Item Number        | Designation            | Number of units | Lead time |
|--------|--------------------|------------------------|-----------------|-----------|
| 1      | 90 17 85 100 03-06 | fitting                | 1               | 10        |
| 2      | 90 30 04 067 00 90 | hose                   | 1               | 2         |
| 3      | 90 10 01 048 00 90 | electronic accessories | 1               | 2         |
| 4      | 04 10 01 246 00 90 | electronic accessories | 1               | 2         |
| 5      | 12 866 970 90      | adaptor                | 1               | 2         |
| 6      | 90 11 11 064 01 90 | electronic accessories | 1               | 2         |
| 7      | 90 24 04 291 00 90 | insert                 | 1               | 2         |
| 8      | 09 24 04 293 90    | nipple                 | 1               | 2         |
| 9      | 09 16 01 045 90    | ring                   | 1               | 2         |