

VAIA Two-hole bridge mixer For sprayer / professional sprayer - Dark Chrome

19 815 809    Product version from 7/1/2023



- 9-1/2" Projection
  - Swiveling spout 360°
  - Aerated stream
  - Water flow rate limited to max. 1.5 gpm
  - lead-free
  - This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Two-hole mixer for use with rinsers and professional sprayers

	Dark Chrome	19 815 809-19 0010
	Chrome	19 815 809-00 0010
	Brushed Platinum	19 815 809-06 0010
	Platinum	19 815 809-08 0010
	Durabrass (23kt Gold)	19 815 809-09 0010
	Brushed Durabrass (23kt Gold)	19 815 809-28 0010
	Matte Black	19 815 809-33 0010
	Brushed Bronze	19 815 809-42 0010
	Brushed Champagne (22kt Gold)	19 815 809-46 0010
	Champagne (22kt Gold)	19 815 809-47 0010
	Brushed Chrome	19 815 809-93 0010
	Brushed Dark Platinum	19 815 809-99 0010

Recommended article


	<b>VAIA AIR SWITCH operating button, trim parts only - Dark Chrome</b>	10 713 809-19
---	--	---------------




VAIA Two-hole bridge mixer For sprayer / professional sprayer - Dark Chrome

19 815 809    Product version from 7/1/2023

mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1	California Energy Commission (CEC)	cUPC	NSF372
NSF61			



## VAIA Two-hole bridge mixer For sprayer / professional sprayer - Dark Chrome

---

19 815 809 Product version from 7/1/2023

### Certificates

---

IAPMO\_4976

IAPMO\_N-4976

IAPMO\_6397

## VAIA Two-hole bridge mixer For sprayer / professional sprayer - Dark Chrome

19 815 809 Product version from 7/1/2023

Parts for other  
finishes can be found  
here: [Chrome](#)



### Spare parts list

Number	Item Number	Designation	Number of units	Lead time
1	90 28 22 396 01-19	spout	1	20
2	90 20 80 057 00-19	handle	2	-
Spare part can no longer be ordered, please order the replacement item				
3	90 12 12 232 00 90	fixing cap	2	2
4	90 90 03 130 00 90	top	1	2
5	04 30 11 040 00 90	fixing set	2	2
6	04 30 04 100 00 90	hose	2	2
7	04 30 04 103 00 90	hose	2	2
8	90 90 03 131 00 90	top	1	2